

# Ram's 8-point RCA Telephone & Video Consultation Model



**SIMPLIFIED VERSION - KEEP THIS ONE YOUR DESK**

		CALG-CAMB.	QUICK NOTES
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">INTER-PERSONAL SKILLS (IPS)</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">DATA GATHERING (DG)</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">CLINICAL MANAGEMENT (CM)</p>	<p><b>SMILE</b> 😊</p> <p><b>1. OPENING (ROLA)</b></p> <p>REMEMBER TO SMILE</p> <p><b>O</b></p>	INITIA-TING	<ul style="list-style-type: none"> <li>Rapport</li> <li>Opening</li> <li>Listen</li> <li>Set the Agenda</li> </ul>
	<p><b>2. The Story &amp; Clinical History</b></p> <p>↕</p> <p><b>SH</b></p>		GATHERING INFORMATION
	<p><b>3. PSO &amp; ICE</b></p> <p><b>PI</b></p>	<p>PSO = Psycho-Social-Occupational + ICE = Ideas, Concerns, Expectations</p> <ul style="list-style-type: none"> <li><b>PSO first, ICE after.</b></li> <li><b>Listen</b> to the responses carefully.</li> <li><b>Clarify</b> vague areas.</li> <li>Pick up on <b>cues</b> (verbal + NV). Follow <b>curiosity</b>.</li> <li><b>Verbalise</b> or show that you understand their perspective</li> </ul> <p><i>Sometimes PSO &amp; ICE more appropriate to do BEFORE detailed history taking. Other times more appropriate NOT TO DO IT SO EARLY. Listen to story, you decide</i></p>	
	<p><b>4. Preliminary Examination</b></p> <p>WRAP UP BETWEEN 5 → 6 min</p> <p><b>E</b></p>	EXAM-INATION	<ul style="list-style-type: none"> <li><b>Cast eye</b> over the patient?</li> <li>Would a <b>brief look</b> help?</li> <li>Anything that you can do to <b>HELP you with your diagnosis</b>?</li> <li>If not, bring in – step 6, but before you do, is there anything worthwhile just doing now?</li> </ul>
	<p><b>5. Working Diagnosis &amp; Differentials</b></p> <p>START @MINUTE 6</p> <p><b>D</b></p>	EXPLANATION & PLANNING	<ul style="list-style-type: none"> <li><b>Verbalise working diagnosis.</b></li> <li>+/- Verbalise <b>other possibilities</b></li> <li><b>Integrate ICE and PSO</b> where possible.</li> <li><b>Language clear.</b> Keep concepts simple.</li> </ul>
	<p><b>6. Further Examination &amp; Tests</b></p> <p><b>ET</b></p>		<ul style="list-style-type: none"> <li>Bring in for <b>further clinical examination (Ex)</b> - <u>if necessary</u>.</li> <li><b>Blood tests?</b></li> <li><b>X-rays? Scans</b> - CT/USS/DEXA? Other</li> <li><b>Verbalise</b> your thinking around <b>examination &amp; tests</b> - describe precisely what you recommend and why.</li> <li><b>Language clear.</b> Keep concepts simple.</li> </ul>
	<p><b>7. Management plan</b></p> <p><b>M</b></p>		<p>Explain <b>rationale</b> for...</p> <ul style="list-style-type: none"> <li><b>Medicines</b> - name of drug, doses, typical side effects.</li> <li><b>Referrals</b> - why, who and when.</li> <li><b>Other</b> - leaflets, internet resources, other people</li> </ul> <p><b>Language clear.</b> Keep concepts simple.</p> <ul style="list-style-type: none"> <li><b>Use patient's ICE &amp; PSO</b> where relevant.</li> <li><b>Shared plan or negotiate.</b></li> <li><b>Patient understands + is happy?</b></li> <li><b>Watch for cues of disgruntlement</b> - stop and explore.</li> </ul>
	<p><b>8. Follow Up &amp; Safety-Netting</b></p> <p><b>FS</b></p>	CLOSURE	<p>When will you see them next (FU)</p> <p>Safety Net (Ram's EDF)</p> <ul style="list-style-type: none"> <li>Expect to happen</li> <li>Deviation from Norm</li> <li>FU - when, who, how</li> </ul> <p><b>Safety net</b> against the serious stuff in a <b>balanced way</b> - not to worry the patient unnecessarily.</p>

For those on 10-min consultations: the only time you have to watch for is minute 5. When that arrives, you have ONE minute to close Data Gathering and move onto Clinical Management. Those on 12-min consultations: the time you watch for is minute 6.

Any improvements? Let me know.

# Ram's 8-point RCA Telephone & Video Consultation Model



## DETAILED VERSION - FOR YOU TO STUDY & LEARN

<p style="writing-mode: vertical-rl; transform: rotate(180deg);">INTER-PERSONAL SKILLS (IPS)</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">DATA GATHERING (DG)</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">CLINICAL MANAGEMENT (CM)</p>	<p><b>SMILE</b> 😊</p>	<ul style="list-style-type: none"> <li>• Rapport - start building rapport right from the beginning.</li> <li>• Opening- allow patient to tell story uninterrupted if possible (c.f. Golden Minute).</li> <li>• Listen is so crucial.</li> <li>• Set the <b>Agenda</b> - In a single problem consultation, may not need to do this overtly, but reassure patient you will cover their concerns and expectations. You may need to do this overtly if there are multiple problems - where you negotiate and agree on what to cover in today's consultation.</li> <li>• Screening - can be useful to screen for other problems the patient might want to talk about. But don't do it for the RCA exam - you will run out of time.</li> </ul>		
	<p><b>1. OPENING (ROLA)</b></p> <p><b>REMEMBER TO SMILE</b></p>	<ul style="list-style-type: none"> <li>• Listen - and let the natural <b>story</b> unfold first via <b>open questions</b>.</li> <li>• Integrate with <b>clinical history</b> taking <b>open questions</b>.</li> <li>• Then move to <b>closed questions</b> around <b>differentials</b>. This will also include covering the <b>red flags</b></li> <li>• <b>Clarify</b> vague areas. Explores areas of <b>curiosity</b></li> <li>• Explore <b>lifestyle factors</b> that may be influencing the complaint - <b>alcohol, drugs, smoking</b>.</li> </ul>		
	<p><b>2. The Story &amp; Clinical History</b></p> <p style="font-size: 2em; color: blue;">↕</p>	<ul style="list-style-type: none"> <li>• PSO = Psycho-Social-Occupational &amp; ICE = Ideas, Concerns, Expectations</li> </ul>		
	<p><b>3. PSO &amp; ICE</b></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>Explore <b>Their thoughts</b> about..</p> <ul style="list-style-type: none"> <li>- What is going on</li> <li>- What are their concerns, fears or worries</li> <li>- What are they hoping you might do</li> </ul> </td> <td style="width: 50%; vertical-align: top;"> <p>Explore the <b>Effect of the problem</b> on their</p> <ul style="list-style-type: none"> <li>- Social life</li> <li>- Working life</li> <li>- Mental state</li> </ul> </td> </tr> </table> <ul style="list-style-type: none"> <li>• <b>Listen</b> to the responses carefully. <b>Clarify</b> vague areas. Pick up on <b>cues</b> (verbal + NV). Follow your <b>curiosity</b>.</li> <li>• <b>Verbalise</b> or show that you understand their perspective: "Oh I see", "Goodness me", "How awful", "So if I have heard you correctly, what you are saying is.."</li> <li>• <b>PSO first, ICE after</b> - it is more natural to explore the PSO first before the ICE.</li> <li>• <b>Which first - Clinical History or PSO/ICE?</b> Sometimes PSO &amp; ICE appropriate to do before detailed history taking (i.e. shortly after opening statement). Especially if it is clear the PSO and ICE is part of the natural story telling. Other times it is more appropriate NOT TO DO IT SO EARLY (as some patients only divulge after good rapport built) - in which case, do it after Story-telling &amp; History-taking. Listen to story, you decide.</li> </ul>	<p>Explore <b>Their thoughts</b> about..</p> <ul style="list-style-type: none"> <li>- What is going on</li> <li>- What are their concerns, fears or worries</li> <li>- What are they hoping you might do</li> </ul>	<p>Explore the <b>Effect of the problem</b> on their</p> <ul style="list-style-type: none"> <li>- Social life</li> <li>- Working life</li> <li>- Mental state</li> </ul>
	<p>Explore <b>Their thoughts</b> about..</p> <ul style="list-style-type: none"> <li>- What is going on</li> <li>- What are their concerns, fears or worries</li> <li>- What are they hoping you might do</li> </ul>	<p>Explore the <b>Effect of the problem</b> on their</p> <ul style="list-style-type: none"> <li>- Social life</li> <li>- Working life</li> <li>- Mental state</li> </ul>		
	<p><b>4. Preliminary Examination</b></p> <p><b>START WRAPPING UP BETWEEN MINUTE 5 → 6</b></p>	<ul style="list-style-type: none"> <li>• <b>Cast eye</b> over the patient? Sometimes you level of worry can be set to the right level by simply glancing over the patient. Decide for yourself - would a <b>brief look</b> help?</li> <li>• Anything that you can do to <b>HELP you with your diagnosis?</b> If doing examination, <b>must be proficient</b>. Don't just do it because you think it will please the RCA examiners. Do it because you feel it is <b>clinically indicated and it is possible to do competently over the video/phone</b>.</li> <li>• If not, bring in – step 6, but before you do, is there anything worthwhile just doing now?</li> </ul>		
	<p><b>5. Working diagnosis &amp; Differentials</b></p> <p><b>START @MINUTE 6</b></p>	<ul style="list-style-type: none"> <li>• <b>Verbalise</b> working diagnosis: "What I think is going on here is.."</li> <li>• May need to verbalise <b>other possibilities</b>: "There are several things this could be"</li> <li>• <b>Keep language clear. Keep concepts simple.</b></li> <li>• <b>Use info from ICE and PSO</b> where possible. If you don't agree with the patients ICE - explain your rationale: "I know you're worried about these headaches being a brain cancer, but I'm quite certain they're not. Let me explain why. You see, in a brain cancer you would get x,y and z, and you have not been getting those have you. But in a tension headache, you would get a, b and c - and that is exactly what you're experiencing. Does that help?"</li> <li>• Explain whether you agree with the patient's diagnosis or not - and why.</li> <li>• Sometimes you can only talk about working diagnosis after an Examination (step 5 below).</li> </ul>		
	<p><b>6. Further Examination &amp; Tests</b></p>	<ul style="list-style-type: none"> <li>• Bring in for <b>further clinical examination (Ex)</b> - if <u>necessary</u>.</li> <li>• <b>Blood tests?</b> X-rays? Scans - CT/USS/DEXA? <b>Other</b></li> <li>• <b>Verbalise</b> your thinking around <b>examination &amp; tests - describe precisely</b> what you recommend and why.</li> <li>• <b>Language clear. Keep concepts simple.</b></li> <li>• Don't do tests and examinations just because you can. You are being tested on your decision-making skills. Do what is appropriate to do. Do not be wasteful (especially with ordering tests). Yes, different GPs often do different things - but what they all have in common is that they can <b>JUSTIFY</b> why they chose various tests. They don't do them just because they can. The NHS only has limited resources.</li> </ul>		
<p><b>7. Management plan</b></p>	<p>Explain your <b>rationale</b> for...</p> <ul style="list-style-type: none"> <li>• <b>Medicines</b> - name of drug, doses, typical side effects.</li> <li>• <b>Referrals</b> - why, who and when.</li> <li>• <b>Other</b> - leaflets, internet resources, other people</li> </ul> <p>Language clear. Keep concepts simple.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top;"> <ul style="list-style-type: none"> <li>• <b>Use patient's ICE &amp; PSO</b> where relevant.</li> <li>• Develop a <b>shared plan or negotiate</b>. Alter plan to patient desires <b>IF YOU FEEL</b> CLINICALLY REASONABLE to do so.</li> <li>• <b>Patient understands + is happy?</b> Sometimes patients are not happy, and that is okay too.</li> <li>• <b>Watch for cues of disgruntlement</b> - stop and explore.</li> </ul> </td> </tr> </table>	<ul style="list-style-type: none"> <li>• <b>Use patient's ICE &amp; PSO</b> where relevant.</li> <li>• Develop a <b>shared plan or negotiate</b>. Alter plan to patient desires <b>IF YOU FEEL</b> CLINICALLY REASONABLE to do so.</li> <li>• <b>Patient understands + is happy?</b> Sometimes patients are not happy, and that is okay too.</li> <li>• <b>Watch for cues of disgruntlement</b> - stop and explore.</li> </ul>		
<ul style="list-style-type: none"> <li>• <b>Use patient's ICE &amp; PSO</b> where relevant.</li> <li>• Develop a <b>shared plan or negotiate</b>. Alter plan to patient desires <b>IF YOU FEEL</b> CLINICALLY REASONABLE to do so.</li> <li>• <b>Patient understands + is happy?</b> Sometimes patients are not happy, and that is okay too.</li> <li>• <b>Watch for cues of disgruntlement</b> - stop and explore.</li> </ul>				
<p><b>8. Follow Up &amp; Safety-Netting</b></p>	<p><b>Follow-Up:</b> when will you want to see the patient again. Don't say 2-3 weeks' time; which is it? 2 or 3? Decide.</p> <p><b>Safety Net (Ram's EDF)</b></p> <ul style="list-style-type: none"> <li>• Explain what you <b>Expect</b> to happen?</li> <li>• Explain what would indicate a <b>Deviation</b> from Norm</li> <li>• Provide details about <b>Follow-Up</b> - when to contact for more advice, who to contact, how to contact them.</li> </ul> <p>Safety net against the serious stuff - but in a <b>balanced way</b> - do not worry the patient <b>unnecessarily</b> just because you want to cover your back medico-legally. But do not falsely reassure either. <b>As a general 'light' rule, the level of worry you genuinely feel inside of you is the level of worry to portray.</b></p>			

Any improvements? Let me know.